




DARSUN
S C I E N T I F I C

Labware & Consumables

DARSUN

Micro Volume Pipette

- Ergonomic Design ensuring light weight & soft plunger movement
- Click - stop digital system for volume setting
- Colour coded for easy identification
- Calibration conforms to EN- ISO 8655 standards ensuring high accuracy & precision



Variable Volume Micropipette

Cat.No.	Volume Range [μl]	Increments [μl]
DS-SC01	0.1-2.5	0.01
DS-SC05	0.5-10	0.1
DS-SC5	5-50	0.5
DS-SC50	50-200	1
DS-SC200	200-1000	5
DS-SC10	10-100	0.5
DS-SC100	100-1000	5
DS-SC2	2-20	0.1
DS-SC20	20-200	1
DS-SC1000	1000-5000	50
DS-SC500	500-5000	50
DS-S1000	1000-10000	100
DS-A1005	500-10000	100

Fix Volume Micropipette

Cat.No.	Volume [μl]
FA-20	2.5
5 FA-5	5
FA-10	10
FA-20	20
FA-25	25
FA-50	50
FA-100	100
FA-200	200
FA-250	250
FA-500	500
FA-1000	1000
FA-2000	2000
FA-5000	5000
FA-10000	10000



Multichannel Pipette

Volume	Product	Cat No. 8 Channel	Cat No. 12 Channel	Increments [μl]
0.5-10μl	Darsun	DS-8C05	DS-12C05	0.1
0.5-10μl	Darsun 	DS-A8C05	DS-A12C05	0.1
2-20 μl	Darsun	DS-8C2	DS-12C2	0.1
2-20 μl	Darsun 	DS-A8C2	DS-A12C2	0.1
5-50 μl	Darsun	DS-8C5	DS-12C5	0.5
5-50 μl	Darsun 	DS-A8C5	DS-A12C5	0.5
10-100 μl	Darsun	DS-8C100	DS-12C100	0.5
10-100 μl	Darsun 	DS-A8C100	DS-A12C100	0.5
20-200 μl	Darsun	DS-8C200	DS-12C200	1.0
20-200 μl	Darsun 	DS-A8C200	DS-A12C200	1.0
30-300 μl	Darsun	DS-8C300	DS-12C300	1.0
30-300 μl	Darsun 	DS-A8C300	DS-A12C300	1.0

- Soft force / leak free tip loading and ejection.
- Easily removable & fully autoclavable manifold.
- Robust metallic structure of manifold provides precise working for longer time.
- Easy Right or Left hand operation because of 360° rotatable manifold.
- One hand tip ejection.
- Attractive color coding.
- Compatible with most types of tips.



* Fully Autoclavable Pipettes: 